

Información comercial

- Modelo NA 1000
- Tecnología de nanonebulización en frío
- Display táctil
- Difusor de aromas esenciales
- 5 programas de funcionamiento
- 20 niveles de intensidad



Especificaciones Técnicas



REFERENCIA: NA 1000

Voltaje entrada: 240V

Potencia: 8W

Capacidad Botella: 500 ml

Cobertura: 1.000 m³ (aprox.)



Peso Neto: 4,65 Kg

Consumo: 0,35 – 2,3 ml/hora

ambielectric®

Especificaciones Técnicas

【 Model 】	NA 1000
【 Size 】	230*300*90 mm
【 N.W. 】	4,65 NW
【 Voltage 】	DC12V 2A
【 Power 】	8W
【 Coverage 】	1000 m3
【 Capacity 】	500 MI



Plug



Bottle



PU tube



Manual



Connector



Screws



Gasket







PTFE tape



Mounting bracket

PTFE tape: 1. Tie up/ twine the atomized core when change a new one to machine.
2. Twine connector screwing to machine.



09:00

Screen -To show the local time and atomization grade. No display
In 1 minute if there is no any futher manual Manipulation.



Indicator -The indicator lights up for 3s once connecting to the power.
-The indicator lights up constantly after connecting to the app.
The light is out when exit the app..

Aromas disponibles



Botella 500 ml

Aromas recomendados (stock)


REF RNB	Aroma
236619	AFFAIR
210660	AIRE LIMPIO
261337	ALOE VERA
676292	ALPHA
676293	BALANCE
133972	BRISA AZUL
129546	CKO
185111	COCO
250920	FLORES DE LOTO
271737	FRUTOS D BOSQUE
190385	FRUTOS ROJOS
246930	NARANJA CANELA
105010	NARCISO
182719	ORANGE
104610	ORIENT
164683	VAINILLA
104910	VICTORIA

Aromas disponibles bajo pedido

REF RNB	Aroma
244860	ACTIVE
124138	COR
124137	DES
124144	FLOR
187204	FRESA
228846	FUJI
131265	INFANTIL
145969	LAVANDA
146411	MANZANA
259900	MANZANA CANELA
261334	SEPTIC
129901	SPA
124127	TABAC
238688	VERDE LIMÓN

* Aromas elaborados con aceites esenciales naturales. No contiene alcoholes.

ambielectric®



Professional Scent Solutions

INVICTA AMBIENTACION SL • C/ Rio Júcar, 26 F • 03007 • Alicante Spain
Tel +34 965 681 885 • info@ambielectric.com • www.ambielectric.com